



MARINE SOLUTIONS |

  MADE IN ITALY

 **REGGIANA
RIDUTTORI**
PLANETARY REDUCTION **GEARS**



YOUR MARINE PARTNER

PLANETARY DRIVES FOR THE MARINE INDUSTRY

With 50 years of engineering experience, Reggiana Riduttori is one of the world's leading companies **in the design and manufacture of gearboxes for a wide variety of power transmission applications in the marine industry.**

To ensure that the highest standards in engineering, quality and production are always met, our products are 100% manufactured in our headquarters in Italy.

Durability, reliability and strength are the leading values that drive the RR team while designing and manufacturing units for port cranes, off-shore cranes, material handling, boat thrusters and deck materials installations.



Con 50 anni di esperienza ingegneristica, Reggiana Riduttori è uno dei leader mondiali nella progettazione e produzione di trasmissioni di potenza che trovano ampia applicazione nel settore marino e offshore.

Per assicurare che i più alti standard ingegneristici, produttivi e qualitativi siano sempre garantiti, i nostri prodotti sono interamente lavorati nei nostri stabilimenti di San Polo d'Enza (RE).

Resistenza, durevolezza e affidabilità sono le caratteristiche su cui ci siamo orientati per la progettazione e produzione di riduttori per **argani, gru portuali, verricelli, piattaforme off-shore, movimentazione materiali, propulsori e carico scarico merci.**

DNV GL TYPE APPROVAL CERTIFICATION

100% MANUFACTURED IN ITALY

RELIABILITY AND DURABILITY



READY TO RUN ELECTRIC





COMPLETE RANGE

UP TO 10.000.000 NM

DEDICATED HOISTING

AND SWING DRIVES



■ RR/RA
T_{2max} Nm=1,200-10,000,000
Ratio=3.4-5061
 Modular planetary reduction gears.

■ RRTD/RRWD
T_{2max} Nm=1,000-50,000
Ratio=5-179
 Compact planetary drives.

■ RR...FF/RR...W
T_{2max} Nm=1.200-230.000
Ratio=3,4-2500
 Slewing drives.
T_{2max} Nm=10,000-1,100,000
Ratio=12-860
 Winch drives.

■ P/RH/RV
& Combined
T_{2max} Nm=2.500-4.300.000
Ratio=1,12-5061
 Helical and bevel helical
 line, combined units.



Electric motor arrangement available.

MODEL	T _{2,FEM} [NM]	RATIO	MIN INNER DRUM DIAMETER [MM]	WEIGHT KG
AR300	1.680	6,09	190	30
AR800 D	4.800	22 ÷ 53	220	60
AR1000 D	4.950	23 ÷ 40	220	57
AR1700 T	11.000	64 ÷ 179	280	115
AR2400 T	15.220	61 ÷ 166	300	150
AR3600 T	24.860	67 ÷ 161	320	140
AR5000 T	28.400	73 ÷ 146	350	178

FEM M5 (T5-L2) , n=15 rpm

MODEL	T _{2,FEM} [NM]	RATIO	MIN INNER DRUM DIAMETER [MM]	WEIGHT KG
RR3200 L3W	39.000	65 ÷ 189	410	265
RR5200 L3W	61.000	70 ÷ 176	470	370
RR6500 L3W	78.000	62 ÷ 185	550	550
RR10000 L3W	116.000	64 ÷ 147	580	790
RR15000 L3W	169.000	64 ÷ 147	645	1030
RR20000 L4W	234.000	258 ÷ 1180	750	1600
RR25000 L4W	316.000	267 ÷ 915	850	2200
RR40000 L4W	460.000	267 ÷ 864	910	3100
RR55000 L4W	660.000	274 ÷ 805	1020	4400

FEM M5 (T5-L2) , n=15 rpm

MODEL	T _{2,FEM} [NM]	RATIO	PINION MODULE	MAX RADIAL LOAD [N]
RR1800	17800 ÷ 25800	13 ÷ 2212	10 ÷ 14	530.000
RR2500	23100 ÷ 38800	15 ÷ 2495	14 ÷ 18	595.000
RR3200	29000 ÷ 49700	16 ÷ 2005	14 ÷ 18	595.000
RR4000	40000 ÷ 57900	16 ÷ 1910	16 ÷ 20	1.107.000
RR5200	51800 ÷ 75700	16 ÷ 1803	16 ÷ 20	1.107.000
RR6500	74100 ÷ 97300	16 ÷ 2064	18 ÷ 22	992.000
RR8000	73400 ÷ 104300	17 ÷ 1695	20 ÷ 24	1.142.000
RR10000	101200 ÷ 136400	17 ÷ 1600	20 ÷ 24	1.142.000

MARINE APPLICATIONS

OFFSHORE & DECK CRANES


CAPSTANS

THRUSTERS

DECK MATERIAL EQUIPMENTS


CONTAINER REACH STACKER

WINCHES



GLOBAL SALES NETWORK

- MASTER DISTRIBUTOR
- BRANCH



www.reggianariduttori.com

REGGIANA RIDUTTORI S.r.l.

Via Martiri di Marzabotto, 7
42020 - S. Polo d'Enza (RE) - ITALY
tel. +39.0522.259111 - fax +39.0522.874321
info@reggianariduttori.com



A member of



 **REGGIANA
RIDUTTORI**
PLANETARY REDUCTION **GEARS**